





Company Profile

We welcome to the 'HOLE' world Of **DNT GROUP**

perforation, screening & filtration right product for you." elements we provide and the vast screens we can offer hat you may tooling's" have came across or wanted to use it in DIFFERENT ways in your daily We have stable shed exclusive, professional use.

Light, Tiny Particles that can't even assurance of DNT GROUP. seen by naked eyes

"www.dntgroupin.com You can DNT GROUP is choose different patters, style, leading ISO 9001:2015 metals, yourself, and fill up RFQ Quality management Certified or just drop us your need sbye manufacturers and suppliers of mail offax ors imply

call our Screen Solution No.: +91-87-5050-HOLE(0084) one of Endeavour to show and provides into much with you to listen your

area where you can use our "Our trained staff is capable to Kingdom (U.K.), United Arab Emir products, with many different make new tooling's in time if ur types and kinds of perforation& requirement is out of our stocked Countries such as Philippines,

life, either in your domestic or in longstanding, associations with We welcome your feedback or all the leading Indian manufacturers kinds of suggestions so that we and around the globe ensuring We can serve screens the can solve the availability of best quality raw your needs to filter Gases, Air, material with costeffective pricings Liquid, Powder ,Solids, Sounds, that is also ensuring quality

DNT GROUP Profile

perforated metals, filter

screens, wire products with the manufacturing unit in Haryana, Through this catalogue we Our sales represent dative will get Ands ales office in New Delhi, With our years of experience we you the knowledge about Kinds of requirement, & we will make the have establishes our name in Global Markets including United States of America (U.S.A.) United ate(U.A.E.), South East Asian Indonesia, China Asian Countries such as Sri Lanka and Pakistan.

make things for you.





Industrial

Standard Sintered Mesh

UsuallyStandardSinteredmeshconsist offive and sixlayers, the protective layer,the filterlayer,the dispersion layer,twoenforcing layerof12wiremesh. excellentperformancessuch ashigh precisionandstrength, soitisideal filtermediumforapplicationrequiring highstrengthand precision.


Thankstoitssurface construction, and smooth wire of


themesh, itisgoodatbackwashing and Weprovide following products in regeneration. Therefore, it can bereusedforalong time, and is meshesandone especiallysuitableforcontinuousand Itprovides automaticoperation, which exceeds any other kind offilter material.

beformed, machined and welded. It canbeproducedintomany kindsof 5.Filter SetsofEquipments filtration shapes suchascircular, cartridge, cone and pleats.

Sintered Mesh

- 1.Sintered Multilayer StainlessSteel Mesh
- 2.Sintered StainlessSteelFiber Medium
- 3.FeCrAl Sintered Fiber Felt
- Furthermore, this mesh is easy to 4.All KindsofIndustrial Filters (Core)





Bar Grading

Bar Grating consists of a series of bearing bars welded or otherwise joinedatvarious intervals to aload-bearing panel. Panels are cages, grille sand guards. manufacture balding, locked by swaging, or press-locked processes. Atypicalpanelconfiguration bearing bars thatare spaced

ou. o. a....g, maining, o

Used universally forwalkwayand mezzanine decking applications which is Idea If or most commercial and industry uses.

Filters Screens

We provide filter screens of various kinds forma king automotive components & products, including reducethetransmission ofunwanted perpendicular cross bars to form muffler components, filter wraps and directsoundwavesfromthesource to an

HVAC Filter Screens

has It is well known that in the air there areparticlesofbiologicaloriginwhich cause many allergicdiseasesHVAC 7mdistance filter Screens aredesignedforusein residential, commercial andin dustrial HVAC applications to remove airborne particulateandcoolantmist from the air stream.

Sound Proofing


Screensusedinsoundproofcanopies, acousticpanelsforSoundproofingcan involuntary listener through the use ofdistancea ndint ervening objects in the sound path It is designed specially to lower the sound oftheunitto70-75 decibel(dB) ata





Truck Exhaust Pipe




Industrial Filter



















PowderCoating

Fabricating
• Blanking

- Bolt holes
- Corrugating
- Rolling
- Shearing
- Slitting Welding and more.

- Finishing
 Anodizing
 Chromate finishes
- Degreasing

- PaintingPolishing
- · Powder coating and more.

Miscellaneous

- Assembly
 Bar coding
 Custom labeling
 Custom packaging
 Ourcore competence lies in theproduction and salesof perforated sheet.

Related Services

IncludingBolt-Holing,Notching, Rolling, Welding, Powder Coating, Leveling,Bending,Painting,Slitting

Steel-slitting

Fabricating Punching,press brake, punchpress, circle shear, and spot welding operations are done for products requiringextra holes, notches, mountingtabs, forming, bending and cutting.

How to order

Simply call our 0900 to 1800 HRS Screen Solution No.+91-87-5050-HOLE (0084) and we will be happy to help with our wider age of services.

Your enquiry or order willbe processed promptly withspecial care. Justgiveusthefollowingdetails to knowyour requirement better so thatwecan guideyou easily.

ForPerforation:

1. Material : Please specify thematerial you need like StainlessSteel, Mild Steel,

Brass, Copper, Aluminum, Plastic, Fiber etc.

2. Thickness : Please specify thethicknessofmaterial inGauge/Inches/millimeter(mm)

3. Width : Exact required widthofmaterial.

4. Length : Exact required Lengthofthematerial.

5. Perforation details a. Shapeofhole

: Widely choose between standard hole shapes from Round, Slot, Hexagon, Square,

Rectangular onspecialized items customized shape can also be available.

b. Hole Size : Please specify thehole size Diameter or radius of the hole.

c. Pitch : Centerto center distance.

d. Wall : Distance between two holes.

e. Hole Pattern : Please specify the hole pattern 60° (Standard) or 45° perforation. : Please specify end pattern if you want Unfini shed Patternor finished

pattern.

g.PlacementPattern: Please specify thestaggeredhole placement or straighthole placement. h. Margins : Please indicate un-perforatedarea size (Side & End margins) if required.

i. Flatness : Please specify if special flatness process is required.

j. Allied Services : Please specify if required, shearing, coating, bending, drilling etc

6. Quantity : Complete Sheet size or cut piece or length. 7. Application : (Where you have to use the Product).

8. Physical & Technical Details: (Open Area, Strength etc).

FOR OTHER PRODUCTSLIKE SINTERED MESH, EXPANDEDMETALS, DECORATIVE SCREENSANDWIRE PRODUCTS, SIMPLY CALL USOR LOGONTO OUR WEBSITE WWW.DNTGROUPIN.WEEBLY.COM

We will be happy to help with our wide range of services.

(Please allow us the standard tolerance in Hole Size, Pitch, Wall, Margins and Flatness apart from standard mill thickness& size tolerance.) for more details log onto our website www.dntgroupin.com for detail Tolerance and Hole pattern details.



